EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 7465 | one$2 near complement | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:03 |
| S2 | 178 | one$2 near complement near3 checksum$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:04 |
| S3 | 4 | one$2 near complement near3 checksum$1 near15 memory | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:04 |
| S4 | 178 | one$2 near complement near3 checksum$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:06 |
| S5 | 25 | one$2 near complement near3 checksum$1 same (program$1 or memory) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:07 |
| S6 | 177 | one$2 near complement near3 checksum$1 and @ad | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:15 |
| S7 | 63 | one$2 near complement near3 checksum$1 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:16 |
| S8 | 19267 | background same foreground | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:26 |

| S9 | 2255 | program same background same foreground | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:26 |
|---|---|---|---|---|---|---|
| S10 | 2255 | program same background same foreground and background same foreground | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:27 |
| S11 | 289 | program same background near2 (task$1 or process$2) same foreground and background same foreground | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:27 |
| S12 | 222 | program same background near2 (task$1 or process$2) same foreground near2 (task$1 or process$2) and background same foreground | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:28 |
| S13 | 17 | program same background near2 (task$1 or process$2) same foreground near2 (task$1 or process$2) and background same foreground and background near10 loop | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:28 |
| S14 | 13 | program same background near2 (task$1 or process$2) same foreground near2 (task$1 or process$2) and background same foreground and background near10 loop and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:29 |
| S15 | 10 | program same background near2 (task$1 or process$2) same foreground near2 (task$1 or process$2) and background same foreground and background near10 loop and power$4 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:38 |
| S16 | 176 | minimiz$5 near15 power same background and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:39 |

| S17 | 107 | minimiz$5 near5 power same background and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:40 |
|-----|-----|------|------|------|------|------|
| S18 | 1 | minimiz$5 near5 power same background near (task or process) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:41 |
| S19 | 0 | minimiz$5 near5 power same background near2 (comple$5 or finish$4) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:41 |
| S20 | 0 | minimiz$5 near5 power same background near5 (comple$5 or finish$4) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:41 |
| S21 | 56 | power same background near2 (comple$5 or finish$4) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:48 |
| S22 | 1212 | log$4 near15 (error or failure) near15 program$1 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:54 |
| S23 | 101 | log$4 near15 (error or failure) near15 program$1 and performance$2 near15 program$1 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:55 |
| S24 | 43 | log$4 near15 (error or failure) near15 program$1 and performance$2 near15 program$1 same log$4 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 10:56 |
| S25 | 9 | (log$1 or logging or logged) near15 (error or failure) near15 program$1 and performance$2 near15 program$1 same (log$1 or logging or logged) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 11:01 |

| S26 | 515 | (log$1 or logging or logged) near15 (error or failure) near15 program$1 and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 11:01 |
| S27 | 35 | (log$1 or logging or logged) near15 (error or failure) near15 program$1 and performanc$4 near15 program$1 and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 11:02 |
| S28 | 95 | (log$1 or logging or logged) near15 (errors or failures) near15 program$1 and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 14:30 |
| S29 | 10 | (log$1 or logging or logged) near15 (errors or failures) near15 execut$4 near15 program$1 and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 14:48 |
| S30 | 10 | (log$1 or logging or logged) near15 (errors or failures) near15 execut$4 near15 program$1 and (error$1 or failure$1) and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 14:49 |
| S31 | 0 | (log$1 or logging or logged) near15 (errors or failures) near15 execut$4 near15 program$1 and rating$1 near15 program$1 and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:12 |
| S32 | 0 | (log$1 or logging or logged) near15 (errors or failures) near15 program$1 and rating $1 near15 program$1 and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:12 |
| S33 | 11 | (log$1 or logging or logged) near15 (errors or failures) near15 program$1 and performanc$4 near15 program$1 and (@ad< "20000516" or @rlad< "20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:12 |

| S34 | 82 | (log$1 or logging or logged) near15 performanc$4 near15 program$1 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:15 |
|-----|----|-----|-----|----|-----|-----|
| S35 | 22043313 | (log$1 or logging or logged) near15 performanc$4 near15 program$1 and (errors or failures) near15 program$1 (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:15 |
| S36 | 42 | (log$1 or logging or logged or record$4) near15 performanc$4 near15 program$1 and (errors or failures) near15 program$1 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:19 |
| S37 | 3 | (log$1 or logging or logged or record$4) near15 performanc$4 near15 program$1 same (errors or failures) near15 program$1 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:21 |
| S38 | 17 | (log$1 or logging or logged or record$4) near15 performanc$4 near15 program$1 same (error$1 or failure$1) near15 program$1 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/23 16:21 |
| S39 | 5 | safety-critical near (software $1 or program$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:00 |
| S40 | 591 | critical near (software$1 or program$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:08 |
| S41 | 0 | critical near (software$1 or program$1) near15 separat $4 near14 stor$4 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:08 |

| S42 | 4 | critical near (software$1 or program$1) near15 separat$4 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:09 |
|-----|---|---|---|---|---|---|
| S43 | 5 | critical near (software$1 or program$1) near15 isolat$4 and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:09 |
| S44 | 1811 | (software or program) near15 exceed$4 near15 time and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:23 |
| S45 | 80 | (software or program) near15 exceed$4 near15 time near (interval$1 or slice$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:24 |
| S46 | 36 | (software or program) near15 extend$4 near15 time near (interval$1 or slice$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:31 |
| S47 | 60 | execut$5 near10 exceed$4 near15 time near (interval$1 or slice$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:34 |
| S48 | 9 | program$1 near15 execut$5 near10 exceed$4 near15 (interval$1 or slice$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:57 |
| S49 | 42931 | execut$6 near15 programs and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:59 |
| S50 | 7549 | execut$6 near15 programs and time near2 (slice$1 or interval$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:59 |

| S51 | 842 | execut$6 near15 programs and program near10 time near2 (slice$1 or interval$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 10:59 |
| S52 | 34 | execut$6 near15 programs and program near10 time near2 (slice$1 or interval$1) and exceed$4 near15 time near2 (slice$1 or interval$1) and (@ad<"20000516" or @rlad<"20000516") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/02/24 11:00 |

2/28/2009 1:41:52 PM
C:\ Documents and Settings\ plee2\ My Documents\ EAST\ Workspaces\ 09821537pcl.wsp